Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Silver stained 2D-gels of protein extracts from wild type and Hsp70-mutant yeast strains

SND-ID: 2020-36-11. **Version**: 1. **DOI**: https://doi.org/10.5878/9xxe-g981

Download data

2d gel electrophoresis/2D gel electrophoresis.zip (57.38 MB)

Associated documentation

2D gel electrophoresis.pdf (330.81 KB)

Data set file index.xlsx (42.92 KB)

GFP-HSP104 in WT and HSP70 mutants.pdf (338.1 KB)

GFP-HSP104 in WT and ssa12DD with SSA1-4 chimaeras.pdf (342.27 KB)

guk1-7-GFP microscopy.pdf (338.56 KB)

guk1-7-GFP w Sik1-RFP and DAPI.pdf (339.77 KB)

guk1-7-GFP w-wo HSP104 microscopy.pdf (341.27 KB)

gus1-3-GFP microscopy.pdf (335.64 KB)

Hsp42 IF microscopy.pdf (536.47 KB)

Mca1-GFP microscopy.pdf (335.98 KB)

ReadMe Access to microscopy files.pdf (225.14 KB)

Ssa4-GFP Mca1-RFP microscopy.pdf (510.88 KB)

Timelapse microscopy.pdf (343.15 KB)

Total Hsp70 western blots.pdf (587.73 KB)

Download all files

2020-36-11-1.zip (~62.21 MB)

Citation

Öling, D., Andersson, R., & Nyström, T. (2020) Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Silver stained 2D-gels of protein extracts from wild type and Hsp70-mutant yeast strains (Version 1) [Data set]. University of Gothenburg. Available at: https://doi.org/10.5878/9xxe-g981

Creator/Principal investigator(s)

<u>David Öling</u> - AstraZeneca, Mölnlycke, Sweden, Discovery Biology, Discovery Sciences, Innovative Medicines and Early Development Biotech Unit

<u>Rebecca Andersson</u> - University of Gothenburg, Institute of Biomedicine, Department of Microbiology and Immunology

<u>Thomas Nyström</u> - University of Gothenburg, Institute of Biomedicine, Department of Microbiology and Immunology

Research principal

University of Gothenburg - Institute of Biomedicine, Department of Microbiology and Immunology

Description

Our study aims to answer the question "Which functions of the Hsp70 class of molecular chaperones are essential for yeast to maintain a standard replicative life span?". To answer this question, we utilised the disparate functions of the Hsp70's Ssa1 and 2 and their paralog Ssa4 in a yeast strain that lacks Ssa1/2 but has an ectopically increased production of Ssa4. We have gathered data on the behaviour of several different markers for protein aggregation under different circumstances, as well as data on proteins from other classes of molecular chaperones. The bulk of the data is in the form of multichannel microscopy images from widefield microscopy, with a few sets of western blots of protein extracts.

Images of two dimensional protein gels with protein extracts from wild type and Hsp70 mutant yeast strains in mid-exponential growth phase. The yeast were grown in rich medium (YP) with 2 % glucose as carbon source. The images have been aligned and the background has been removed. The dataset was collected through imaging of two dimensional protein gels. The image files are provided in TIFF format.

Data contains personal data

No

Language

English

Unit of analysis

Cells

Population

Saccharomyces cerevisiae (Baker's yeast)

Study design

Experimental study Preclinical study

Sampling procedure

Total universe/Complete enumeration

Time period(s) investigated

2012 - 2020

Data format / data structure

Still image

Data collection 1

- Mode of collection: Biological tests
- Time period(s) for data collection: 2012-06-13 2013-04-10

• Source of the data: Research data, Research data: Published, Biological samples

Responsible department/unit

Institute of Biomedicine, Department of Microbiology and Immunology

Funding

Funding agency: Knut and Alice Wallenberg Foundation

Research area

Biochemistry and molecular biology (Standard för svensk indelning av forskningsämnen 2011)

Cell biology (Standard för svensk indelning av forskningsämnen 2011)

Microbiology (Standard för svensk indelning av forskningsämnen 2011)

Cell and molecular biology (Standard för svensk indelning av forskningsämnen 2011)

Keywords

<u>Cellular senescence</u>, <u>Molecular chaperones</u>, <u>Hsp70 heat-shock proteins</u>, <u>Proteostasis deficiencies</u>

Publications

Andersson R, Eisele-Bürger AM, Hanzén S, Vielfort K, Öling D, Eisele F, Johansson G, Gustafsson T, Kvint K, Nyström T. Differential role of cytosolic Hsp70s in longevity assurance and protein quality control. bioRxiv. 2020 Jun 29. Available from:

https://www.biorxiv.org/content/10.1101/2020.06.25.170670v2.full

DOI: https://doi.org/10.1101/2020.06.25.170670

Andersson R, Eisele-Bürger AM, Hanzén S, Vielfort K, Öling D, Eisele F, et al. (2021) Differential role of cytosolic Hsp70s in longevity assurance and protein quality control. PLoS Genet 17(1): e1008951.

DOI: https://doi.org/10.1371/journal.pgen.1008951

Accessibility level

Access to data through SND Data are freely accessible

Use of data

Things to consider when using data shared through SND

License

CC BY 4.0

Versions

Version 1. 2020-12-16

Contact for questions about the data

Thomas Nyström

thomas.nystrom@cmb.gu.se

Related research data in SND's catalogue

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - The

misfolding protein marker gus1-3-GFP and the metacaspase Mca1-GFP during mid-exponential growth in yeast Hsp70-mutant yeast strains

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - The misfolding protein marker guk1-7-GFP before, during and after in recovery from heat shock stress in Hsp70-mutant yeast strains

<u>Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Intracellular colocalisation of the chaperone Ssa4-GFP and the metacaspase Mca1-RFP before and after heat stress in a Hsp70-mutant yeast cell strain</u>

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - The molecular chaperone GFP-Hsp104 before and after heat stress in Hsp70-mutant yeast strains

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Timelapse microscopy of the misfolding protein guk1-7-GFP in recovery after heat stress in Hsp70- and Hsp104-mutant yeast strains

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - The molecular chaperone GFP-Hsp104 before and after heat stress in a Hsp70-mutant yeast strain with exogenous complementation of wildtype and chimaeric mutant alleles of yeast Hsp70-alleles

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Hsp70-mutant yeast cells with the misfolding marker protein guk1-7-GFP, the nucleolar marker Sik1-RFP and nuclear staining with DAPI imaged before, directly after, and during recovery from heat stress

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Hsp70-mutant yeast strains with the misfolding marker protein guk1-7-GFP and with or without an intact HSP104-allele, imaged during mid-exponential growth

Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation - Western blots of SDS-PAGE gels with primary antibodies against Hsp70p and Pgk1p

<u>Study of the yeast cytosolic Hsp70-system in protein homeostasis and life span regulation -</u> Immunocytofluoroscense of Hsp70-mutant yeast strains with primary antibodies against Hsp42p

Download metadata

DataCite

DDI 2.5

DDI 3.3

DCAT-AP-SE 2.0

ISON-LD

PDF

Citation (CSL)

File overview (CSV)

Published: 2020-12-16 **Last updated**: 2021-02-11