

Public health in Scania 2004

SND-ID: ext0061-1.

Is part of collection at SND: [Scania Metadatabase for Epidemiology \(SME\)](#)

Associated documentation

Folkhälsa i Skåne 2004 - rapport.pdf (939.84 KB)

Creator/Principal investigator(s)

Maria Rosvall - Region Scania, Samhällsanalys

Per-Olof Östergren - University hospital MAS, Region Skane, Social medicine unit

Farhad Ali Khan - University hospital MAS, Region Skane, Social medicine unit

Mathias Nilsson - University hospital MAS, Region Skane, Social medicine unit

Research principal

[Region Skåne](#)

Description

A sample was drawn from the population registry among persons aged 18-18 years and living in Region Scania in 30th June 2004. The sample was stratified after geographic areas where each municipality stated a selection group, except Helsingborg which was divided into five city parts, Kristianstad divided in six municipality parts, Lund in ten municipality parts and Malmö in ten city parts. Selections of about the same size were made in each subarea. In total 27,963 persons answered the questionnaire, corresponding to 59 percent of the total sample (n= 47,621). The department of Social medicin, University Hospital MAS, Region Scania was operative responsible for the investigation. Statistics Sweden (SCB) has been contracted to perform mailing, collecting of the questionnaires and summaries. The study was approved by the regional research ethics committee and SCB:s etichal board.

Purpose:

The aim of the FHS 2004 was to get a current picture of the health, health care contacts and living conditions among the inhabitants of Scania which are also important for the future of public health in Scania, and also to make a follow-up study of the previous survey FHS 2000 in Scania.

Unit of analysis

[Individual](#)

Time Method

[Cross-section](#)

Sampling procedure

Urvalsprocessen, bestående av 49 000 individer (bruttourvalet), genomfördes i tre steg. I ett första steg drogs 8 000 personer från hela urvalsramen som ett slumpmässigt obundet urval. Dessa 8 000 personer ingick i en grupp som skulle få speciella åtgärder vad gällde försök till bortfallsreduktion. I nästa steg fördelades dessa 8 000 personer efter undersökningens 124 (62 områden*2 kön) strata

och i det sista steget fylldes sedan på med individer till önskad urvalsstorlek i respektive stratum för att nå upp till de efterfrågade 49 000 personerna. Två påminnelser skickades ut till dem som inte besvarat enkäten. Den första påminnelsen skickades ut ca tio dagar efter det ursprungliga utskicket och bestod av ett tack- och påminnelsekort. Den andra påminnelsen var en enkätpåminnelse. Den skickades ut ca en månad efter den första påminnelsen till samtliga personer som inte hade besvarat enkäten, förutom till 2 800 slumpmässigt utvalda personer från de 8 000 personer som dragits i urvalsprocessens första steg. Dessa 2 800 personer lämnades till telefonintervju och efter avdrag för personer som saknade telefon, hade skyddat telefonnummer, var bosatta i utlandet och liknande skäl, återstod 1682 personer till telefonintervjuer.

Time period(s) investigated

2004-09 - 2005-01

Variables

277

Number of individuals/objects

27963

Response rate/participation rate

59%

Data format / data structure

[Numeric](#)

Data collection 1

- Mode of collection: Self-administered questionnaire: paper
- Time period(s) for data collection: 2004-09 - 2005-01
- Source of the data: Population group

Geographic spread

Geographic description: Scania

Research area

[Medical and health sciences](#) (Standard för svensk indelning av forskningsämnen 2011)

[Health sciences](#) (Standard för svensk indelning av forskningsämnen 2011)

[Public health, global health, social medicine and epidemiology](#) (Standard för svensk indelning av forskningsämnen 2011)

[Health](#) (CESSDA Topic Classification)

Keywords

[Job satisfaction](#), [Unemployment](#), [Drinking behaviour](#), [Social class](#), [Alcoholism](#), [Diseases](#), [Dental health](#), [Smoking](#), [Physical activities](#), [Sleep](#), [Workloads](#), [Sick leave](#), [Education](#), [Obesity](#), [Public health](#), [Mental health](#), [Medical history](#), [Passive smoking](#), [Epidemiologic studies](#), [Cohort studies](#), [Dental care](#), [Population surveillance](#), [Socioeconomic factors](#), [Risk factors](#), [Overweight](#), [Diet](#), [Surveys and questionnaires](#), [Body weight](#), [Drug utilization](#), [Social participation](#), [Working conditions](#), [Traffic noise](#), [Assault](#), [Epihealth_skåne](#), [Scania](#), [Epihealth](#)

Accessibility level

Access to data through an external actor
Access to data is restricted

Homepage

[The study homepage](#)

Contact for questions about the data

Mathias Grahn

mathias.grahn@skane.se

Related research data in SND's catalogue

[Public health in Scania 2000](#)

[Public health in Scania 2008](#)

[Adult asthma and traffic exposure at residential address, workplace address, and self-reported daily time outdoor in traffic: A two-stage case-control study](#)

[Public health in Scania 2012 - Survey 2: Elderly \(aged 65-80 years\)](#)

[Public health in Scania 2012 - Survey 1: Younger \(aged 18-64 years\)](#)

Is part of collection at SND

[Scania Metadatabase for Epidemiology \(SME\)](#)

Download metadata

[DataCite](#)

[DDI 2.5](#)

[DDI 3.3](#)

[DCAT-AP-SE 2.0](#)

[JSON-LD](#)

[PDF](#)

[Citation \(CLS\)](#)