

# Sum of Oxidized Nitrogen, NO2-N and NO3-N/NOX

---

LAST CHANGED: 31 MARCH 2022

## Known issues with the parameter and/or important method changes

Report (in Swedish) about [method comparison while changing to the Gallery instrument.](#)

Report (in Swedish) about [verification of the analysis when changing back from Gallery to Autoanalyser III in in 2018.](#)

## Current method of measurement

### Discrete analysis, photometric

Valid since July 2014 (from September 2018 only used for some projects with high levels)

Method: ISO 15923-1:2013

Instrument: Gallery

### Autoanalyzer

This website uses cookies which are stored in your browser. Some cookies are necessary for the website to function properly and others are selectable. You choose which ones you want to allow.

Method: SS-EN ISO 13 395  
Instruments: Autoanalyzer 3

[Cookie settings](#)

### Previous methods (autoanalyzer)

Allow only necessary cookies

2000-01 – 2014-05

Method: SS-EN ISO 13 395 modified for Bran & Leubbe Method

G-287-02.

Instruments: Autoanalyzer 3 (upgraded Autoanalyzer II).

1998-07 – 2006-12

Method: SS 02 81 33-2 modified for Traacs. Bran & Leubbe Method No. J-002-88B.

Instrument: Technicon Traacs 800.

NB: Water samples conserved with H<sub>2</sub>SO<sub>4</sub>.

1997-01 – 1998-06

Method: Swedish Standard SS 02 81 33-2 modified for Traacs. Bran & Leubbe Industrial Method 55010279A.

Instrument: Technicon Traacs 800.

NB: Water samples conserved with H<sub>2</sub>SO<sub>4</sub>.

1989-01 – 1996-12

Method: Swedish Standard SIS 02 81 33 modified for Traacs. Bran & Leubbe Industrial Method 55010279A.

Instrument: Technicon Traacs 800.

NB: Water samples conserved with HgCl<sub>2</sub>.

1984-01 – 1988-12

Method: Wood, E. D., Armstrong, F. A. & Richards, F. A., J. Mar.

Biol. Ass. U. K., 1967, 47, 23-31. Modified for autoanalyser:

Henriksen, A. R. & Selmer-Olsen, A. R., Analyst 1970, 95, 514-518.

Koroleff, F., 1969. ICES report C. M. 1969/C:8.

NB: Water samples conserved with HgCl<sub>2</sub>.

1971-01 – 1983-12

Method: Wood, E. D., Armstrong, F. A. & Richards, F. A., J. Mar.

Biol. Ass. U. K., 1967, 47, 23-31. Modified for autoanalyser.

Henriksen, A. R. & Selmer-Olsen, A. R., Analyst 1970, 95, 514-518.

Koroleff, F., 1969. ICES report C. M. 1969/C:8.

Instrument: Technicon Autoanalyzer I.

NB: Water samples conserved with HgCl<sub>2</sub>.

1965-01-01 to 1970-12-31

Method: Mullin, J. B. & Riley, J. P., 1955. Anal. Chim. Acta. 12.

Modified for autoanalyser: Henriksen, A., 1965. The Analyst 90:83.

This website uses cookies which are stored in your browser. Some cookies are necessary for the website to work properly and others are selectable. You choose which ones you want to allow.

Cookie settings

Allow all cookies

Instrument: Technicon Autoanalyzer I.  
NB: Water samples conserved with HgCl<sub>2</sub>.

---

## Contact

Ingrid Nygren, Chemist  
Department of Aquatic Sciences and Assessment, Section for  
Geochemistry and Hydrology, laboratory  
ingrid.nygren@slu.se, +4618673141

---

## Links

Read about [nitrite on Wikipedia](#).

Read about [nitrate on Wikipedia](#).

PAGE EDITOR: VATTENMILJO-WEBB@SLU.SE

**SLU, the Swedish University of Agricultural Sciences**, has its main locations in Alnarp, Uppsala and Umeå. SLU is certified to the ISO 14001 environmental standard. Telephone: 018-67 10 00 · Org nr: 202100-2817 · [Contact SLU](#) · [About SLU's websites](#) · [Manage cookies](#)

This website uses cookies which are stored in your browser. Some cookies are necessary for the website to work properly and others are selectable. You choose which ones you want to allow.

Cookie settings

Allow only necessary cookies

Allow all cookies